
# **BSUoS Outturn**



| Average BSUoS charge | £/MWh |
|----------------------|-------|
| Oct-21               | 8.44  |
| Past 12 months       | 5.12  |
| 2020/21              | 4.77  |

The outturn BSUoS for October was significantly higher than September. Continued high Balancing Mechanism prices impacted significantly on the costs of actions taken to operate the system. Increased wind levels caused Constraint costs to rise due to increased congestion on the system and synchronising machines for voltage support and inertia. The total BSUoS volume increased as we move towards winter.

The blue line on the chart shows the estimated monthly average BSUoS charge for the past 12 months. The red line shows our forecast for each month, made at year ahead. The table shows a breakdown of the elements that make up the BSUoS charge (including volume), broken down by cost category. The total cost divided by the volume gives the estimated average charge.



| Month                          | Nov-20 | Dec-20 | Jan-21 | Feb-21 | Mar-21 | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 |
|--------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Energy Imbalance               | 7.7    | 12.3   | 6.5    | 7.8    | 4.0    | 5.9    | 15.0   | 7.1    | 3.9    | 16.5   | 2.2    | 10.2   |
| Operating Reserve              | 13.8   | 18.0   | 50.3   | 23.4   | 36.2   | 22.7   | 13.7   | 16.7   | 22.3   | 28.8   | 146.8  | 58.5   |
| STOR                           | 4.0    | 4.3    | 3.4    | 2.7    | 2.9    | 4.3    | 3.6    | 4.3    | 3.3    | 3.1    | 9.9    | 4.8    |
| Constraints - E&W              | 119.9  | 61.3   | 32.8   | 36.9   | 37.9   | 36.9   | 52.0   | 27.8   | 23.1   | 40.5   | 11.4   | 63.3   |
| Constraints - Cheviot          | 0.9    | 17.3   | 1.3    | 57.6   | 15.9   | 1.5    | 0.0    | 3.6    | 1.0    | 2.4    | 11.7   | 20.7   |
| Constraints - Scotland         | 15.9   | 12.5   | 6.5    | 6.4    | 20.1   | 5.7    | 0.3    | 1.5    | 2.3    | 0.7    | 4.5    | 63.1   |
| Constraints - AS               | 2.1    | 1.4    | 0.5    | 0.5    | 1.1    | 1.3    | 3.9    | 5.8    | 6.3    | 11.6   | 10.3   | 6.5    |
| Negative Reserve               | 0.4    | 0.3    | 0.0    | 0.3    | 0.2    | 0.3    | 0.4    | 0.1    | 0.1    | 0.9    | 0.5    | 3.4    |
| Fast Reserve                   | 10.5   | 11.0   | 11.4   | 10.3   | 14.7   | 17.2   | 19.6   | 19.9   | 21.1   | 16.9   | 16.5   | 17.4   |
| Response                       | 14.4   | 15.6   | 15.1   | 15.3   | 20.1   | 20.5   | 24.0   | 30.3   | 30.2   | 38.3   | 32.3   | 41.4   |
| Other Reserve                  | 1.6    | 1.5    | 1.2    | 1.4    | 2.0    | 1.4    | 1.3    | 1.1    | 0.9    | 1.2    | 1.5    | 1.8    |
| Reactive                       | 5.4    | 5.9    | 5.4    | 5.6    | 7.6    | 7.6    | 8.8    | 9.1    | 10.7   | 11.7   | 12.2   | 13.4   |
| Minor Components               | 1.0    | 0.9    | 2.4    | 0.3    | 3.0    | 0.8    | 4.9    | 0.8    | 1.6    | 3.8    | -22.9  | 7.0    |
| Black Start                    | 7.9    | 4.5    | 8.0    | 5.4    | 6.0    | 3.7    | 4.1    | 9.6    | 2.6    | 5.9    | 3.3    | 2.8    |
| Total BSUoS                    | 205.4  | 166.9  | 144.8  | 173.8  | 171.5  | 129.8  | 151.6  | 137.7  | 129.5  | 182.3  | 240.4  | 314.3  |
| Estimated BSUoS Vol (TWh)      | 39.9   | 44.6   | 46.5   | 38.7   | 40.2   | 40.8   | 40.0   | 35.9   | 37.2   | 36.4   | 37.8   | 41.2   |
| Estimated Internal BSUoS (£m)  | 18.3   | 18.9   | 18.9   | 17.1   | 18.9   | 23.3   | 24.0   | 23.3   | 24.0   | 24.0   | 23.3   | 24.0   |
| BSUoS Cost Recovery            | 0.0    | 0.0    | 1.5    | 1.3    | 1.5    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 5.8    |
| ALoMCP                         | 0.0    | 0.0    | 4.8    | 4.8    | 4.8    | 1.7    | 1.7    | 1.7    | 1.7    | 1.7    | 1.7    | 1.7    |
| CMP345/350 Deferred Costs      |        |        |        |        |        | 1.7    | 1.8    | 1.7    | 1.8    | 1.8    | 1.7    | 1.8    |
| Estimated BSUoS Charge (£/MWh) | 5.60   | 4.17   | 3.66   | 5.09   | 4.90   | 3.83   | 4.48   | 4.58   | 4.22   | 5.77   | 7.06   | 8.44   |
|                                |        |        |        |        |        |        |        |        |        |        |        |        |
| Year ahead forecast (£/MWh)    | 2.94   | 2.65   | 2.52   | 2.86   | 3.00   | 3.05   | 3.14   | 3.27   | 3.38   | 3.60   | 3.63   | 1.36   |

# **BSUoS Forecast**

12.00



| Average BSUoS charge | £/MWh |
|----------------------|-------|
| Nov-21               | 6.89  |
| 2021/22              | 5.76  |
| 2022/23              | 3.72  |
| Next 12 months       | 5.03  |

Uplifts have been applied to Operating Reserv Constraints and Reactive costs as a result of observed trends

The final modification report for CMP308 has been published, more details can be found here:

https://www.nationalgrideso.com/industryinformation/codes/connection-and-usesystem-code-cusc-old/modifications/cmp308removal


CMP361 workgroup consultation has now completed, further information can be found here: <a href="https://www.nationalgrideso.com/indusry-information/codes/connection-and-use-system-code-cusc-old/modifications/cmp361-cmp362">https://www.nationalgrideso.com/indusry-information/comp361-cmp362</a> cmp362

In March for the FY21/22 forecast we have recosted the outage plan and adjusted the
constraint costs accordingly. When producing a
forecast of constraint costs, we apply a
historical wind profile for each month.
Variations in the constraint costs month on
month will therefore be driven by the reduction
in constraint limits due to outages in addition
to the wind level applied. As such these are
indicative of where costs may outturn but
variations are expected due to outturn wind
not following a particular historical profile
exactly.

We have added an additional line to the forecast from Apr 21 to Mar 22 to account for the deferred BSUoS as per CMP345/350.

The chart shows the average monthly BSUoS forecast for the next 24 months. The grey band shows the upper and lower range of the forecast. The forecast uses a combination of forecast models and historical data. Constraint costs are adjusted in line with major changes to the outage plan, system faults, and commissioning programmes. The other energy cost categories are forecast using a baseline of historical trends with adjustments for expected changes in system operation or balancing services markets.





-Estimated BSUoS Charge (£/MWh)

|                                |       |       |        |       |        |       |       |        |        |        |       |        |       |       |       |       |       |       | _     |       |       |       |       |       |
|--------------------------------|-------|-------|--------|-------|--------|-------|-------|--------|--------|--------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                                | v-21  | c-21  | Jan-22 | eb-22 | Mar-22 | r-22  | ay-22 | Jun-22 | Jul-22 | Aug-22 | ep-22 | Oct-22 | ov-22 | c-22  | an-23 | eb-23 | ar-23 | ır-23 | 19-23 | n-23  | 1-23  | Ig-23 | p-23  | 1-23  |
| Month                          | ž     | Ď     | e,     | F     | ž      | ¥     | ž     | 3      | 4      | Ā      | S     | ŏ      | ž     | ă     | P     | Fe    | ž     | ¥     | Ĕ     | 2     | 4     | ¥     | Se    | ŏ     |
| Energy Imbalance               | 17.7  | 13.2  | 13.9   | 14.6  | 9.8    | 8.5   | 7.9   | 8.2    | 9.3    | 8.7    | 10.1  | 11.3   | 10.9  | 11.1  | 11.9  | 12.8  | 10.8  | 8.5   | 7.9   | 8.2   | 9.3   | 8.7   | 10.1  | 11.3  |
| Operating Reserve              | 67.9  | 44.5  | 46.7   | 44.1  | 43.8   | 15.3  | 12.0  | 10.8   | 11.0   | 11.2   | 14.1  | 16.4   | 16.1  | 18.9  | 21.1  | 20.9  | 13.2  | 15.3  | 12.0  | 10.8  | 11.0  | 11.2  | 14.1  | 16.4  |
| STOR                           | 9.1   | 7.5   | 7.6    | 6.5   | 7.4    | 5.2   | 5.6   | 5.4    | 6.0    | 5.8    | 6.3   | 6.2    | 7.4   | 7.5   | 7.6   | 6.5   | 7.4   | 5.2   | 5.6   | 5.4   | 6.0   | 5.8   | 6.3   | 6.2   |
| Constraints                    | 155.2 | 103.1 | 107.4  | 143.7 | 117.4  | 38.9  | 39.5  | 39.2   | 40.5   | 49.5   | 53.1  | 56.0   | 52.6  | 46.5  | 39.8  | 45.3  | 41.6  | 38.9  | 39.5  | 39.2  | 40.5  | 49.5  | 53.1  | 56.0  |
| Negative Reserve               | 1.0   | 0.5   | 0.6    | 0.1   | 0.2    | 0.4   | 0.9   | 1.6    | 1.8    | 1.7    | 1.8   | 1.2    | 0.5   | 0.5   | 0.6   | 0.1   | 0.2   | 0.4   | 0.9   | 1.6   | 1.8   | 1.7   | 1.8   | 1.2   |
| Fast Reserve                   | 15.2  | 20.2  | 20.5   | 17.9  | 19.9   | 17.4  | 17.6  | 17.2   | 17.8   | 18.3   | 17.2  | 17.8   | 17.8  | 18.7  | 19.0  | 16.5  | 18.4  | 14.5  | 14.6  | 8.8   | 9.1   | 9.6   | 8.8   | 9.1   |
| Response                       | 23.5  | 28.6  | 28.4   | 26.1  | 28.7   | 24.6  | 25.8  | 24.8   | 25.8   | 26.3   | 24.1  | 24.5   | 24.0  | 24.6  | 24.4  | 22.4  | 24.6  | 19.7  | 20.7  | 11.9  | 12.6  | 13.1  | 11.3  | 11.2  |
| Other Reserve                  | 1.0   | 0.9   | 0.9    | 0.9   | 1.0    | 1.1   | 0.9   | 1.0    | 1.2    | 1.3    | 1.0   | 0.9    | 0.9   | 0.9   | 0.9   | 0.9   | 1.0   | 1.1   | 0.9   | 1.0   | 1.2   | 1.3   | 1.0   | 0.9   |
| Reactive                       | 6.7   | 13.9  | 13.9   | 11.9  | 13.0   | 7.4   | 8.2   | 7.7    | 7.6    | 7.5    | 7.2   | 7.5    | 7.2   | 7.8   | 7.7   | 6.3   | 6.8   | 7.4   | 8.2   | 7.0   | 6.9   | 6.8   | 6.6   | 6.7   |
| Minor Components               | 2.7   | 2.0   | 0.5    | 2.3   | 0.3    | 3.0   | 3.0   | 2.6    | 2.6    | 1.5    | 1.1   | 2.1    | 0.6   | 1.0   | -0.6  | 2.3   | 0.3   | 3.0   | 3.0   | 2.6   | 2.6   | 1.5   | 1.1   | 2.1   |
| Black Start                    | 3.8   | 3.8   | 3.8    | 3.8   | 3.8    | 3.8   | 3.9   | 3.9    | 3.9    | 3.9    | 3.9   | 3.9    | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   | 3.9   |
| Total BSUoS                    | 303.8 | 238.2 | 244.3  | 272.0 | 245.5  | 125.7 | 125.2 | 122.4  | 127.4  | 135.7  | 139.9 | 147.6  | 141.8 | 141.3 | 136.3 | 138.0 | 128.3 | 117.8 | 117.1 | 100.6 | 104.8 | 113.1 | 118.0 | 125.1 |
| Esitmated BSUoS Vol (TWh)      | 48.8  | 49.7  | 53.7   | 44.7  | 46.0   | 40.0  | 37.9  | 35.7   | 36.4   | 36.7   | 38.2  | 40.7   | 48.8  | 49.7  | 53.7  | 44.7  | 46.0  | 40.0  | 37.9  | 35.7  | 36.4  | 36.7  | 38.2  | 40.7  |
| Estimated Internal BSUoS (£m)  | 23.3  | 24.0  | 24.0   | 21.7  | 24.0   | 23.3  | 24.0  | 23.3   | 24.0   | 24.0   | 23.3  | 24.0   | 23.3  | 24.0  | 24.0  | 21.7  | 24.0  | 23.3  | 24.0  | 23.3  | 24.0  | 24.0  | 23.3  | 24.0  |
| BSUoS Cost Recovery            | 5.6   | 5.8   | 5.8    | 5.2   | 5.8    | 0.0   | 0.0   | 0.0    | 0.0    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| ALoMCP                         | 1.7   | 1.7   | 1.7    | 1.7   | 1.7    | 0.0   | 0.0   | 0.0    | 0.0    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| CMP345/350 Deferred Costs      | 1.7   | 1.8   | 1.8    | 1.6   | 1.8    |       |       |        |        |        |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| Estimated BSUoS Charge (£/MWh) | 6.89  | 5.47  | 5.17   | 6.76  | 6.06   | 3.72  | 3.94  | 4.09   | 4.16   | 4.35   | 4.27  | 4.21   | 3.39  | 3.33  | 2.98  | 3.57  | 3.31  | 3.52  | 3.73  | 3.47  | 3.54  | 3.73  | 3.70  | 3.66  |

| High Error Band (£/MWh) | 10.42 | 8.99 | 8.69 | 10.29 | 9.59 | 7.25 | 7.46 | 7.68 | 7.49 | 7.42 | 7.05 | 6.68 | 5.50 | 5.44 | 5.09 | 5.74 | 5.53 | 5.74 | 6.07 | 5.80 | 5.80 | 5.97 | 5.96 | 5.91 |
|-------------------------|-------|------|------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Low Error Band (£/MWh)  | 3.37  | 1.94 | 1.64 | 3.23  | 2.53 | 0.19 | 0.42 | 0.50 | 0.82 | 1.27 | 1.50 | 1.74 | 1.28 | 1.22 | 0.87 | 1.41 | 1.09 | 1.30 | 1.39 | 1.15 | 1.27 | 1.50 | 1.45 | 1.40 |

## **BSUoS Volatility and Forecast Accuracy**



The first chart shows the volatility of the cost categories that make up BSUoS. Constraint costs shown in red are the most variable and difficult to predict, mainly driven by the output of wind generation combined with the transmission outage plan at the time. A fault on the transmission system can add to the underlying volatility and cause large unforeseen increases in constraint costs.

Reserve, shown in yellow, is generally stable but can have large deviations when the cost of generator margin increases significantly when generation is short.

generation is snort.


Predicting increases in the cost of reserve is difficult at long timescales, and can have a significant impact on the average BSUoS charge.

Energy Imbalance is the other category that contributes to BSUoS volatility, which is the cost of residual balancing when the energy market is long or short. The other cost categories are relatively stable across the year, although there may be longer term trends that we consider.

The second chart shows the annual outturn BSUoS charge compared with the forecast made at 12 months ahead, and the absolute percentage error for each year.

The third chart shows the month ahead forecast compared with outturn and absolute percentage error. Month ahead is the month ahead of the reporting month.





### Yearly History and APE



#### Month ahead forecast vs actual and APE

