
BSUoS Outturn



Average BSUoS charge	£/MWh
Jun-21	4.28
Past 12 months	4.48
2020/21	4.77

The outturn BSUoS for June was down from May. Constraint costs fell as a result of changes in the RoCoF costs following the FRCR change implementation. Operating Reserve costs rose slightly along with Response and these were offset by a fall in Energy Imbalance as the system was less short in June. The total BSUoS volume was lower than May as we move into the summer months.

The blue line on the chart shows the estimated monthly average BSUoS charge for the past 12 months. The red line shows our forecast for each month, made at year ahead. The table shows a breakdown of the elements that make up the BSUoS charge (including volume), broken down by cost category. The total cost divided by the volume gives the estimated average charge.



0 0

	Jul-20	Aug-20	Sep-20	Oct-20	Nov-20	Dec-20	Jan-21	6-21	Mar-21	Apr-21	May-2:	Jun-21
Month	3	Αn	Sel	õ	No	De	Jar	Feb	Š	Αp	Ma	ā
Energy Imbalance	5.7	6.8	8.5	10.9	7.7	12.3	6.5	7.8	4.0	5.9	15.2	7.1
Operating Reserve	3.1	4.8	8.7	11.1	13.8	18.0	50.3	23.4	36.2	22.7	13.6	16.5
STOR	3.2	2.8	2.7	3.3	4.0	4.3	3.4	2.7	2.9	4.3	3.6	4.4
Constraints - E&W	69.4	41.9	43.1	59.5	119.9	61.3	32.8	36.9	37.9	36.6	51.3	26.7
Constraints - Cheviot	0.5	0.6	10.7	8.0	0.9	17.3	1.3	57.6	15.9	1.5	0.0	3.6
Constraints - Scotland	7.9	13.1	19.0	17.3	15.9	12.5	6.5	6.4	20.1	5.7	0.3	1.5
Constraints - AS	21.8	22.4	17.8	0.9	2.1	1.4	0.5	0.5	1.1	1.3	3.9	5.8
Negative Reserve	0.2	0.5	0.6	0.5	0.4	0.3	0.0	0.3	0.2	0.3	0.4	0.1
Fast Reserve	7.1	8.5	9.7	9.2	10.5	11.0	11.4	10.3	14.7	17.2	19.8	19.8
Response	8.1	7.2	8.2	12.6	14.4	15.6	15.1	15.3	20.1	20.4	24.0	30.1
Other Reserve	2.5	1.9	1.9	1.6	1.6	1.5	1.2	1.4	2.0	1.4	1.3	1.2
Reactive	4.7	4.6	4.2	4.5	5.4	5.9	5.4	5.6	7.6	7.5	8.2	7.2
Minor Components	1.8	2.6	1.7	3.0	1.0	0.9	2.4	0.3	3.0	0.7	4.1	0.7
Black Start	3.4	3.3	8.9	7.6	7.9	4.5	8.0	5.4	6.0	3.7	4.2	6.5
Total BSUoS	139.4	120.9	145.7	150.0	205.4	166.9	144.8	173.8	171.5	129.2	149.8	131.2
Estimated BSUoS Vol (TWh)	33.1	33.4	34.5	39.6	39.9	44.6	46.5	38.7	40.2	40.8	39.9	36.9
Estimated Internal BSUoS (£m)	18.9	18.9	18.3	18.9	18.3	18.9	18.9	17.1	18.9	23.3	24.0	23.3
ESO Incentive	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	1.5	0.0	0.0	0.0
ALoMCP	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.8	4.8	1.7	1.7	1.7
CMP345/350 Deferred Costs									•	1.7	1.8	1.7
Estimated BSUoS Charge (£/MWh)	4.78	4.19	4.75	4.27	5.60	4.17	3.66	5.10	4.90	3.82	4.44	4.28
				•	•	•			•			
Year ahead forecast (£/MWh)	3.19	3.49	3.61	3.48	2.94	2.65	2.52	2.86	3.00	3.05	3.14	3.27

BSUoS Forecast

8.00



Average BSUoS charge	£/MWh
Jul-21	3.95
2021/22	4.45
2022/23	3.53
Next 12 months	4.35

ESO Incentive has been removed from the forecast as a separate cost and is now included in the ESO internal costs as part of the Price Control Financial Model. The ALOMCP costs have been revised and following the approval of CMP373 the under-recovered costs have been profiled in the forecast, further details can be found here:

https://www.nationalgrideso.com/document/1 92426/download/


In March for the FY21/22 forecast we have recosted the outage plan and adjusted the
constraint costs accordingly. When producing a
forecast of constraint costs, we apply a
historical wind profile for each month.
Variations in the constraint costs month on
month will therefore be driven by the reductio
in constraint limits due to outages in addition
to the wind level applied. As such these are
indicative of where costs may outturn but
variations are expected due to outturn wind
not following a particular historical profile
exactly.

We have added an additional line to the forecast from Apr 21 to Mar 22 to account for the deferred RSUOS as per CMP345/350

From April 21 CMP333 comes into effect changing the demand base to gross demand (NB. This has been included in the forecast figures for some time).

The chart shows the average monthly BSUoS forecast for the next 24 months. The grey band shows the upper and lower range of the forecast. The forecast uses a combination of forecast models and historical data. Constraint costs are adjusted in line with major changes to the outage plan, system faults, and commissioning programmes. The other energy cost categories are forecast using a baseline of historical trends with adjustments for expected changes in system operation or balancing services markets.





-Estimated BSUoS Charge (£/MWh)

Month Registre Reserve 1.2 1.7 1.8 1.2 1.8 1.2 1.5 1	R R E 8.5 7.9 8. 15.3 12.0 10 5.2 5.6 5. 38.9 39.5 39 0.4 0.9 1. 14.5 14.6 8. 19.7 20.7 11 1.1 0.9 1.
Figure Properties Propert	8.5 7.9 8. 15.3 12.0 10 5.2 5.6 5. 38.9 39.5 33 0.4 0.9 1. 14.5 14.6 8. 19.7 20.7 11 1.1 0.9 1.
Derating Reserve	15.3 12.0 10 5.2 5.6 5. 38.9 39.5 39 0.4 0.9 1. 14.5 14.6 8. 19.7 20.7 11 1.1 0.9 1.
STOR 5.8 5.8 6.3 6.2 7.4 7.5 7.6 6.5 7.4 5.2 5.6 5.4 6.0 5.8 6.3 6.2 7.4 7.5 7.6 6.5 7.4 5.2 5.6 5.4 6.0 5.8 6.3 6.2 7.4 7.5 7.6 6.5 7.4 Constraints 31.1 49.0 58.7 88.5 97.2 83.1 57.4 113.7 117.4 38.9 39.2 40.5 49.5 53.1 56.0 52.6 46.5 39.8 45.3 41.6 Negative Reserve 16.0 19.6 15.7 16.2 16.3 17.2 17.4 15.2 16.8 14.5 14.6 14.2 14.7 15.2 14.7 18.8 1.2 0.5 0.5 0.6 0.1 0.2 0.4 0.9 1.6 1.8 1.7 18.8 1.2 0.5 0.5 0.6 0.1 0.2 1.6 1.6	5.2 5.6 5. 38.9 39.5 39 0.4 0.9 1. 14.5 14.6 8. 19.7 20.7 11 1.1 0.9 1.
Constraints 31.1 49.0 58.7 88.5 97.2 83.1 57.4 113.7 117.4 38.9 39.5 39.2 40.5 49.5 53.1 56.0 52.6 46.5 39.8 45.3 41.6 Negative Reserve 12 1.7 1.8 12 0.5 0.5 0.6 0.1 0.2 0.4 0.9 1.6 1.8 1.7 1.8 1.2 0.5 0.5 0.6 0.1 0.2 Fast Reserve 16.0 19.6 15.7 16.2 16.3 17.2 17.4 15.2 16.8 14.5 14.6 14.5 14.7 15.2 14.2 14.7 14.8 15.2 15.9 13.8 15.3 Response 23.8 25.3 23.1 23.5 23.0 23.5 23.3 21.5 23.8 23.9 23.5 23.0 23.0 23.0 23.0 23.0 23.0 23.0 23.0	38.9 39.5 39 0.4 0.9 1 14.5 14.6 8 19.7 20.7 11 1.1 0.9 1
Negative Reserve 1.2 1.7 1.8 1.2 0.5 0.5 0.6 0.1 0.2 0.4 0.9 1.6 1.8 1.7 1.8 1.2 0.5 0.6 0.1 0.2 0.4 0.9 1.6 1.8 1.7 1.8 1.2 0.5 0.6 0.1 0.2 Fast Reserve 16.0 19.6 15.7 16.2 16.3 17.2 17.4 15.2 16.8 14.5 14.6 14.2 14.7 15.2 14.2 14.7 14.8 15.6 15.9 13.8 15.3 Response 23.8 25.3 23.1 23.5 23.0 23.5 23.3 21.5 23.6 19.7 20.7 19.8 20.7 21.2 19.2 19.4 19.1 19.5 19.3 17.8 19.5 Other Reserve 1.0 1.3 1.0 0.9 0.9 0.9 0.9 1.0 1.1 0.9 1.0 1.2 1.3 <	0.4 0.9 1. 14.5 14.6 8. 19.7 20.7 11 1.1 0.9 1.
Fast Reserve 16.0 19.6 15.7 16.2 16.3 17.2 17.4 15.2 14.6 14.2 14.7 15.2 14.2 14.7 14.2 14.7 14.8 15.6 15.9 13.8 15.3 Response 23.8 25.3 23.1 23.5 23.0 23.5 23.3 21.5 23.6 19.7 20.7 19.8 20.7 21.2 19.2 19.4 19.1 19.5 19.3 17.8 19.5 Other Reserve 1.0 1.3 1.0 0.9 0.9 0.9 0.9 1.0 1.1 0.9 1.0 1.2 1.3 1.0 0.9 0.9 0.9 1.0 1.1 0.9 1.0 1.2 1.3 1.0 0.9 0.9 0.9 1.0 1.1 0.9 1.0 1.2 1.3 1.0 0.9 0.9 0.9 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	14.5 14.6 8. 19.7 20.7 11 1.1 0.9 1.
Response 23.8 25.3 23.1 23.5 23.0 23.5 23.3 21.5 23.6 19.7 20.7 19.8 20.7 21.2 19.2 19.4 19.1 19.5 19.3 17.8 19.5 Other Reserve 1.0 1.3 1.0 0.9 0.9 0.9 0.9 1.0 1.1 0.9 1.0 1.2 1.3 1.0 0.9 0.9 0.9 1.0 Reactive 7.4 7.5 7.2 7.5 7.2 7.8 7.7 6.3 6.8 7.4 8.2 7.7 7.6 7.5 7.2 7.8 7.7 6.3 3.8	19.7 20.7 11 1.1 0.9 1
Other Reserve 1.0 1.3 1.0 0.9 0.9 0.9 0.9 0.9 1.0 1.1 0.9 1.0 1.2 1.3 1.0 0.9 0.9 0.9 0.9 1.0 Reactive 7.4 7.5 7.2 7.5 7.2 7.8 7.7 6.3 6.8 7.4 8.2 7.7 7.6 7.5 7.2 7.8 7.7 6.3 6.8 7.4 8.2 7.7 7.6 7.5 7.2 7.8 7.7 6.3 6.8 7.4 8.2 7.7 7.6 7.5 7.2 7.8 7.7 6.3 6.8 7.4 8.2 7.7 7.6 7.5 7.2 7.8 7.7 6.3 6.8 7.4 8.2 7.7 7.6 7.5 7.2 7.8 7.7 6.3 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8	1.1 0.9 1.
Reactive 7.4 7.5 7.2 7.5 7.2 7.8 7.7 6.3 6.8 7.4 8.2 7.7 7.6 7.5 7.2 7.8 7.7 6.3 6.8 Minor Components 3.2 2.6 2.0 3.1 1.6 2.0 0.5 2.3 0.3 3.0 2.6 2.6 1.5 1.1 2.1 0.6 1.0 -0.6 2.3 0.3 Black Start 3.8 </th <th></th>	
Minor Components 3.2 2.6 2.0 3.1 1.6 2.0 0.5 2.3 0.3 3.0 2.6 2.6 1.5 1.1 2.1 0.6 1.0 -0.6 2.3 0.3 Black Start 3.8 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.9	
Black Start 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8	7.4 8.2 7.
Total BSUGS 1165 138.5 145.9 180.7 186.8 178.3 154.3 265.9 205.5 117.8 117.0 114.5 119.2 127.5 132.0 139.5 133.9 133.1 128.1 130.7 120.1	3.0 3.0 2.
	3.9 3.9 3.
	117.8 117.1 100
Esitmated BSUoS Vol (TWh) 36.4 36.7 38.2 40.7 48.8 49.7 53.7 44.7 46.0 40.0 37.9 35.7 36.4 36.7 38.2 40.7 48.8 49.7 53.7 44.7 46.0	40.0 37.9 35
Estimated Internal BSUOS (£m) 24.0 24.0 23.3 24.0 23.3 24.0 23.2 24.0 23.3 24.0 23.0 23.0 23.0 23.0 23.0 23.0 23.0 23	23.3 24.0 23
BSUoS Cost Recovery 0.0 0.0 0.0 5.8 5.6 5.8 5.8 5.2 5.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	0.0 0.0 0.
ALOMCP 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	0.0 0.0 0.
CMP345/350 Deferred Costs 1.8 1.8 1.7 1.8 1.7 1.8 1.8 1.6 1.8 1.8 1.6 1.8	
Estimated BSUoS Charge (£/MWh) 3.95 4.52 4.52 5.25 4.49 4.26 3.49 5.28 5.19 3.52 3.73 3.86 3.93 4.13 4.07 4.01 3.22 3.16 2.83 3.41 3.14	3.52 3.73 3.4

High Error Band (£/MWh) 5.16 5.73 5.73 6.46 6.02 6.20 5.23 6.80 6.39 4.69 4.86 5.07 5.20 5.45 5.46 5.41 4.67 4.57 4.25 4.75 4.50 4.89 5.07 4.

Low Error Band (£/MWh) 2.74 3.31 3.31 4.04 2.97 2.31 1.76 3.76 4.00 2.36 2.59 2.66 2.60 2.80 2.68 2.61 1.78 1.76 1.41 2.06 1.77 2.16 2.39 2.

BSUoS Volatility and Forecast Accuracy



The first chart shows the volatility of the cost categories that make up BSUoS. Constraint costs shown in red are the most variable and difficult to predict, mainly driven by the output of wind generation combined with the transmission outage plan at the time. A fault on the transmission system can add to the underlying volatility and cause large unforeseen increases in constraint costs.

Reserve, shown in yellow, is generally stable but can have large deviations when the cost of generator margin increases significantly when generation is short.

Predicting increases in the cost of

Predicting increases in the cost of reserve is difficult at long timescales, and can have a significant impact on the average BSUoS charge.

Energy Imbalance is the other category that contributes to BSUoS volatility, which is the cost of residual balancing when the energy market is long or short. The other cost categories are relatively stable across the year, although there may be longer term trends that we consider.

The second chart shows the annual outturn BSUoS charge compared with the forecast made at 12 months ahead, and the absolute percentage error for each year.

The third chart shows the month ahead forecast compared with outturn and absolute percentage error. Month ahead is the month ahead of the reporting month.

